

EN

Original Instructions
Version 2
December 2024



SINGLE GARAGE

WORKSTATION WITH ROLLER CABINETS

13269



1. Preface

These are the original product instructions. This document is part of the product; retain it for the life of the product, passing it on to subsequent holders. Read this manual in full before attempting to assemble, operate or maintain this product.

This Draper Tools manual describes the purpose of the product and contains all the necessary information to ensure its correct and safe use. Following all the instructions and guidance in this manual will ensure the safety of both the product and the operator and increase the lifespan of the product.

All photographs and drawings within this manual are supplied by Draper Tools to help illustrate correct operation of the product.

Every effort has been made to ensure the information contained in this manual is accurate. However, Draper Tools reserves the right to amend this document without prior warning. Always use the latest version of the product manual.

1.1 Product Reference

User Manual for: Single Garage Workstation with Roller Cabinets.

Stock No: 13269

Part No: MS100

1.2 Revisions

Version 1: March 2024
First release.

Version 2: December 2024

As our manuals are continually updated, always ensure that the latest version is used.

Please visit drapertools.com/manuals for the latest version of this manual and the associated parts list, if applicable.

1.3 Understanding the Safety Content of This Manual



WARNING! – Situations or actions that may result in personal injury or death.



CAUTION! – Situations or actions that may result in damage to the product or surroundings.

Important: – Information or instructions of particular importance.

1.4 Copyright © Notice

Copyright © Draper Tools Limited.

Permission is granted to reproduce this manual for personal and educational use **ONLY**. Commercial copying, redistribution, hiring or lending is strictly prohibited.

No part of this manual may be stored in a retrieval system or transmitted in any other form or means without written permission from Draper Tools Limited.

In all cases, this copyright notice must remain intact.

1. Preface	2
1.1 Product Reference	2
1.2 Revisions	2
1.3 Understanding the Safety Content of This Manual	2
1.4 Copyright © Notice	2
2. Contents	3
3. Product Introduction	4
3.1 Intended Use	4
3.2 Specification	4
4. Health and Safety Information	5
4.1 General Health and Safety Precautions	5
4.2 Residual Risk	5
5. Explanation of Symbols	5
6. Identification and Unpacking	6
6.1 Product Overview	6
6.2 What's in the Box?	7
6.3 Packaging	7
7. Assembly Instructions	8
7.1 Fitting the Roller Cabinet (4) & (5) Grab Handles (Fig.1)	8
7.2 Fitting the Cabinet (1), (4), (5) Door Handles (Fig.2)	8
7.3 Fitting the Roller Cabinet (4) & (5) Castors (Fig.3)	8
7.4 Fitting the Tall Cabinet (1) Feet (Figs.4 – 5)	9
7.5 Fitting The Tall Cabinet (1) Shelves (Fig.6)	9
7.6 Assembling the Workbench (3) (Fig.7)	9
8. Setting Up the Workstation	10
8.1 Setup (Fig.8 – Fig.11)	10
9. Maintenance and Troubleshooting	11
9.1 General Maintenance	11
9.2 Drawer Removal and Replacement	11
9.2.1 Drawer Removal	11
9.2.2 Drawer Replacement	11
10. Warranty	11

3. Product Introduction

3.1 Intended Use

This product is designed as a workstation suitable for use in a single home garage or similar workspace. Each unit is supplied with all the required fittings and with minimal assembly required.

Any other application beyond the conditions established for use will be considered misuse. Draper Tools accepts no responsibility for improper use of this product.


Read this manual in full before assembling, using or maintaining the product, and retain it for later use.

3.2 Specification



Stock No.:	13269
Part No.:	MS100
Total Net Weight:	131.5kg
Assembled Dimensions:	2070 × 472 × 1925mm
2 Door Tall Cabinet	
Dimensions (L×D×H):	750 × 470 × 1923mm
Adjustable Shelves:	3
Steel Thickness:	0.6mm
Lockable Door:	1 key
Wall and Shelf Unit	
Dimensions (L×D×H):	332 × 201 × 540mm
Cupboards:	2
Steel Thickness:	0.6mm
Adjustable Shelves:	4
2 Door/1 Drawer Roller Cabinet	
Dimensions (L×D×H):	532 × 410 × 800mm
Castors Fixed × 2:	100mm × 32mm
Castor Swivel With Lock × 2:	100mm × 32mm
Lockable Door:	1 with key
4 Drawer Roller Cabinet	
Dimensions (L×D×H):	532 × 410 × 800mm
Castors Fixed × 2:	100mm × 32mm
Castor Swivel With Lock × 2:	100mm × 32mm
Lockable Door:	1 with key
Workbench	
Dimensions (L×D×H):	1320 × 427 × 865mm
Worktop:	Solid wood
Worktop Thickness:	25mm

Important: Read all the Health and Safety instructions before assembling, installing, maintaining or repairing this product. Failure to follow these instructions may result in injury or damage to the use or the workstation.

4.1 General Health and Safety Precautions

-  **WARNING! At least 2 people are required to move, assemble and install the workstation to avoid any personal injury.**
- **DO NOT** leave children unattended near this product.
- **DO NOT** stand on the workstation or lean on the drawers or worktop as you may fall or the product could tip.
- Wear safety glasses when removing or reposition the drawer slides.
- **DO NOT** modify the product in any manner as this cause damage to the product or personal injury.

- **DO NOT** overload the product or exceed the maximum weight capacity specified.

-  **CAUTION! Take care when opening more than one drawer at a time as the unit could become unstable and tip.**
-  **CAUTION! Ensure that the workstation is installed correctly and secured to a wall to avoid serious injury.**
- Install on a flat and level surface.
- Lock the cabinet doors and drawers when moving this product.

4.2 Residual Risk

The safety instructions in this manual cannot account for all possible conditions and situations that may occur. Exercise common sense and caution when using this product and protect against any additional conceivable risks.

5. Explanation of Symbols



Mandatory action required



Read the instruction manual



Lift by two persons



Warning!




Warning! Heavy object



Product weight (net)

6. Identification and Unpacking

6.1 Product Overview



1. 2 Door Tall Cabinet with 3 Adjustable Shelves.
2. Wall and Shelf Unit.
3. Workbench.
4. 2 Door/1 Drawer Roller Cabinet.
5. 4 Drawer Roller Cabinet.
6. Peg Boards × 6.
7. Door and Cabinet Handles × 11 (**Note:** attached to inside of drawers/doors on delivery).


6. Identification and Unpacking

EN

6.2 What's in the Box?

Carefully remove the product from the packaging and examine it for any signs of damage that may have occurred during shipment.

Before assembling the product, lay the contents out and check them against the parts shown below. If any part is damaged or missing, do not attempt to use the product. Please contact the Draper Helpline; contact details can be found at the back of this manual.



- | | |
|------------------------------------|-------------------------------|
| (A) M6 Hex Flange Nuts × 20. | (H) Shelves × 4. |
| (B) Flat washers × 36. | (I) Castors × 8 |
| (C) Door/drawer keys × 6. | (J) M8 Hex Flange Bolts × 32. |
| (D) M5 Hex Tapping Bolts × 36. | (K) Grab Handles × 4. |
| (E) M6 Flat Head Bolts × 36. | (L) M8 Flat Head Bolts × 16. |
| (F) M5 Flat Head Bolts × 24. | (M) M8 Hex Bolts × 4. |
| (G) Adjustable Levelling feet × 4. | (N) M8 Hex Flange Nuts × 4. |

6.3 Packaging

Keep the product packaging for the duration of the warranty period for reference should the product need to be returned for repair.



**WARNING! Keep packaging materials out of reach of children.
Dispose of packaging correctly and responsibly and in accordance with local regulations.**

Please visit drapertools.com for our full range of accessories and consumables.

7. Assembly Instructions

Important: Before preparing or assembling this product, read and understand all the safety instructions listed in this manual.

7.1 Fitting the Roller Cabinet (4) & (5) Grab Handles (Fig.1)

- Attach the grab handles (K) to the front of the cabinets using M8 flat head bolts (L) \times 2 per handle.




Fig. 1

7.2 Fitting the Cabinet (1), (4), (5) Door Handles (Fig.2)

- **Note:** For transit the handles are attached to the inside of the doors and drawers. Unscrew and fit to the front of the cabinets.
- Attach the door handles (7) to the front of the drawers or doors using M5 flat head bolts (F) \times 2 per handle.




Fig. 2

7.3 Fitting the Roller Cabinet (4) & (5) Castors (Fig.3)

1. Lay the cabinets flat on the ground.
2. Fit 4 castors (I) to each cabinets using M8 hex flange bolts (J) \times 4 per castor.




Fig. 3

Note: the castors with brakes should be fitted to the front of the cabinets.

7.4 Fitting the Tall Cabinet (1) Feet (Figs.4 – 5)

1. Lay the tall cabinet flat on the ground.
2. Attach the adjustable levelling feet (G) to the bottom of the cabinet using $16 \times M6$ flat head bolts (E).




Fig. 4




Fig. 5

7.5 Fitting The Tall Cabinet (1) Shelves (Fig.6)

- Slot the 3 shelves (H) into the cabinet.




Fig. 6

Note: In order for the door to work, the centre shelf must be fitted level with the lock on the cabinet door.

7.6 Assembling the Workbench (3) (Fig.7)




Fig. 7

1. Align the holes at the top of the legs with the underside of the worktop. Use $4 \times M8$ flat head bolts (L) to connect.
2. Then fasten the side support to the legs using $4 \times M8$ hex bolts (M) and $4 \times M8$ nuts (N).
3. Secure all the bolts and nut and stand the workbench up.

8. Setting Up the Workstation

Important: Before installing this product, read and understand all the safety instructions listed in this manual. Ensure that the product is fully assembled and correctly prepared for use.

8.1 Setup (Fig.8 – Fig.12)

1. Plan the position of the cabinets and workbench.
Align the pegboards (6) and screw into the wall using 24 × hex tapping bolts (D) and flat washers (B) (Fig.8).




Fig. 8

2. Connect the 2 wall cabinets with the shelves (2) using 16 × M6 flat head bolts (A) and hex flange nuts (E) (Fig.9).




Fig. 9

3. Open both wall cabinet doors. Then fix the cabinet assembly to the wall using 8 × M5 hex tapping bolts (D) and flat washers (B). It is recommended that 2 people assist in this step (Fig.10).




Fig. 10

4. Position the drawer cabinets under the workbench and place the tall cabinet against the workbench. Open the tall cabinet door and secure to the wall using 4 × M5 hex tapping bolts (D) and flat washers (B) (Fig.11).




Fig. 11

5. Workstation setup complete (Fig.12).
6. Lock the tall and roller cabinets using the keys supplied.




Fig. 12

9.1 General Maintenance

- Regularly wipe the cabinet fronts and shelves with a mild detergent and water.
- Remove any grease or oil with a non-flammable cleaning fluid.
- Lubricate the drawer slides every 6 months to stop the bearings from becoming stiff.

9.2 Drawer Removal and Replacement

9.2.1 Drawer Removal

1. Pull the drawer out so almost fully extended.
2. Push up on the black release lever on one side, while pushing down on the release lever on the other side.
3. While holding the levers pull the drawer out until released.

9.2.2 Drawer Replacement

1. Extend the drawer slides from the cabinet.
2. Insert the brackets into the slide slots on each side of the drawer, take care to position correctly.
3. Then close the drawer to locate the slides in their correct position.

10. Warranty

Draper Tools products are carefully tested and inspected before shipment and are guaranteed to be free from defective materials and workmanship.

Should the tool develop a fault, return the complete tool to your nearest distributor or contact Draper Tools directly. Contact information can be found at the back of this manual.

Proof of purchase must be provided.

If, upon inspection, it is found that the fault occurring is due to defective materials or workmanship, repairs will be carried out free of charge. This warranty period covers parts and labour for 12 months from the date of purchase. Where tools have been hired out, the warranty period covers 90 days from the date of purchase.

This warranty does not apply to any consumable parts, batteries or normal wear and tear, nor does it cover any damage caused by misuse, careless or unsafe handling, alterations, accidents, or repairs attempted or made by any personnel other than the authorised Draper Tools repair agent.

In all cases, to make a claim for faulty workmanship or materials within the standard warranty period, please contact or return the product to the place of purchase. Proof of purchase may be required.

If the place of purchase is no longer trading or if you experience any difficulties with your warranty, please contact Customer Services with the product details and your proof of purchase. Contact details can be found at the back of this manual.

If the tool is not covered by the terms of this warranty, repairs and carriage charges will be quoted and charged accordingly.

This warranty supersedes any other guarantees expressed or implied and variations of its terms are not authorised.

Your Draper Tools guarantee is not effective until you can produce, upon request, a dated receipt or invoice to verify your purchase within the guarantee period.

Please note that this warranty is an additional benefit and does not affect your statutory rights.

Draper Tools Limited

Contact Details

Draper Tools

Draper Tools Limited
Hursley Road
Chandler's Ford
Eastleigh
Hampshire
SO53 1YF
UK

Website: drapertools.com

Email: sales@drapertools.com

Product Helpline: +44 (0) 23 8049 4344

Telephone Sales Desk: +44 (0) 23 8049 4333

General Enquiries: +44 (0) 23 8026 6355

Delta International

Delta International BV
Oude Graaf 8
6002 NL
Weert
Netherlands

Please contact the Draper Tools Product Helpline for repair and servicing enquiries.