# SAFETY DATA SHEET

#### Product Name: Rechargeable Lithium-ion Cell

PRODUCT NAME:	tion of the substance/mixture and of the company/undertaking			
PRODUCT NAME:	Rechargeable Lithium-ion Cell C18650P-2000mAh Nominal Voltage: 3.6V Typical Capacity: 2000mAh 7.2Wh Weight: 44.7g			
APPLICATIONS:	For Stock No.			
AIT EIGATIONO.	03509 D20 L/E COMBI DRILL SET			
	08337 D20 IMPACT WRENCH 400NM SET			
	13681 D20 O.M.T. SET CASE/BATT/CHG			
	27888 D20 IMPACT WRENCH 400NM SET			
	91902 D20 BRUSHLESS COMBI DRILL SET			
	91903 D20 CL B'LESS IMPACT WRNCH SET			
	91910 D20 OSCILLATING MULTI TOOL SET			
	97777 D20 IMPACT WRENCH 400NM SET			
SUPPLIER:	Draper Tools Ltd			
	Hursley Road Chandlers Ford			
	Eastleigh Hampshire			
	SO53 1YF			
	Draper Helpline +44 (0) 2380 494344			
	Opening hours 8:30-17:00 Monday – Friday.			
	www.drapertools.com			
Recommended use of the o	chemical and restrictions on use			
Recommended Use: Used in	portable electronic equipment.			
Uses advised against:				
, .	shred secondary cells or batteries.			
,	teries to heat or fire. Avoid storage in direct sunlight.			
-	or a battery. Do not store cells or batteries haphazardly in a box or drawer where			
	ther or be short-circuited by other metal objects.			
-	ttery from its original packaging until required for use.			
e) Do not subject cells or bat				
	g, do not allow the liquid to come in contact with the skin or eyes. If contact has d area with copious amounts of water and seek medical advice.			
	her than that specifically provided for use with the equipment.			
	ninus (–) marks on the cell, battery and equipment and ensure correct use.			
	ery which is not designed for use with the equipment.			
, .	t manufacturer, capacity, size or type within a device.			
k) Battery usage by children				
I) Seek medical advice imme	diately if a cell or a battery has been swallowed.			
, .	ery recommended by the device manufacturer for the equipment.			
n) Keep cells and batteries c	,			
,	minals with a clean dry cloth if they become dirty.			
	ries need to be charged before use. Always use the correct charger and refer to			
	ns or equipment manual for proper charging instructions. prolonged charge when not in use.			
	storage, it may be necessary to charge and discharge the cells or batteries sev-			
eral times to obtain maximun				
	literature for future reference.			
,	in the application for which it was intended.			
	e battery from the equipment when not in use.			
v) Dispose of properly.				
SECTION 2: Hazards i	dentification			
<b>Classification</b>				
2 P. 10 P. 1	If contact the Electrolyte liquid in the Rechargeable Lithium-ion Cell,			
reference as follows:				
	tanaa ar miytura			
Classification of the subs				
Classification according to				
Acute Toxicity, Oral(Hazard	category (1)			

Acute Toxicity, Oral(Hazard category 4)

Acute Toxicity, Dermal(Hazard category 3)

Skin, irritate(Cagegory 1B)

Eye Irritate (Hazard category 1)

GHS Label elements, including precautionary statements:



# Signal word: Warning

Hazard statement(s): H242:Heating may cause a fire;

H311: Toxic in contact with skin;

H314:Causes severe skin burns and eye damage;

#### H302:Harmful if swallowed;

#### precautionary statements:

#### Prevention:

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

#### Response:

P312:Call a Poison center or doctor/physician if you feel unwell.

P302+P350-IF ON SKIN: Gently wash with plenty of soap and water

P301+P330+P331-IF SWALLOWED: rise mouth. Do NOT induce vomiting

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Storage:

None

#### Disposal

P501: Dispose of contents/container in accordance with local/national regulations

#### Hazards not otherwise classified (HNOC)

Not Applicable

Other information

No information available.

# **SECTION 3: Composition/information on ingredients**

#### **Chemical characterization: Mixtures**

#### **Description:**

Product: Consisting of the following components.

Common Chemical Name	Concentration (%)	CAS Number	EC No.
LiNiCoMnO2	25-40	N/A	
Aluminum Foil (Al)	6	7429-90-5	231-072-3
Max Lithium Equivalent	20	7439-93-2	231-102-5
Graphite (C)	21	7782-42-5	231-955-3
Copper Foil (Cu)	16	7440-50-8	231-159-6
Organic electrolyte	8-18	N/A	
Phosphate(1-), hexafluoro-, lithium	1-4	21324-40-3	244-334-7
Steel and inert componets	balance	7439-89-6	231-096-4

Note: CAS number is Chemical Abstract Service Registry Number.

N/A=Not apply.

# **SECTION 4: First aid measures**

#### First aid measures

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.

Skin Contact Remove contaminated clothing and shoes. Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed

Swallowing Do not induce vomiting. Get medical attention.

Most Important Symptoms/Effects No information available.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

# **SECTION 5: Firefighting measures**

## Suitable Extinguishing Media

CO2, dry chemical powder, water spray.

Unsuitable Extinguishing Media:No information available.

## Specific Hazards Arising from the Chemical

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Carbon monoxide(CO)

Carbon dioxide

Other irritating and toxic gases.

## Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No

Sensitivity to Static Discharge No

## Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. For example: Wear self-contained respiratory protective device. Wear suitable protective clothing and eve/face protection.

## Special hazards arising from the substance or mixture:

Battery may burst and release hazardus decomposition products when exposed to a fire situation. Lithium ion batteries contain flammable electrolyte that may vent, ignite and produce sparks when subjected to high temperature(>150°C), When damaged or abused(e.g. mechanical damage or electrical overcharging); may burn rapidly with flare-burning effect; may ignite other batteries in clothes proximity.

# **SECTION 6: Accidental release measure**

## Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with eyes.

Refer to section 8 for personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

Evacuate personnel to safe areas.

## Environmental precautions

Environmental Precautions Refer to protective measures listed in Sections 7 and 8.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

# Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning up Use personal protective equipment. Dam up. Cover liquid spill with sand, earth or other Non combustible absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

# SECTION 7: Handling and storage

Precautions for safe Handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin errors and clothing. Wear personal inductive errors ment.

Wash thoroughly after handling. Use this material with adequate ventilation. The product is not explosive.

#### Conditions for safe storage, including any incompatibilities

If the Rechargeable Lithium-ion Cell is subject to storage for such a long term as more than 3 months, it is recommended to recharge the Rechargeable Lithium-ion Cell periodically. 3 months: -10°C~+40°C, 45 to 85%RH And recommended at 0°C~+35°C for long period storage.

The capacity recovery rate in the delivery state (50% capacity of fully charged) after storage is assumed to be 80% or more.

The voltage for a long time storage shall be 3.0V~4.2V range.

Do not storage Rechargeable Lithium-ion Cell haphazardly in a box or drawer where they may short-circuit each other or be short-circuited by other metal objects.

Keep out of reach of children.

Do not expose Rechargeable Lithium-ion Cell to heat or fire. Avoid storage in direct sunlight. Do not store together with oxidizing and acidic materials.

Keep ignition sources away- Do not smoke.

Store in cool, dry and well-ventilated place.

Incompatible Products None known.

# **SECTION 8: Exposure controls/personal protection**

#### Control parameters

Ingredients with limit values that require monitoring at the workplace:			
TLV (USA) 0.02mg/m <sup>3</sup>			
MAK (Germany)	0.1mg/m <sup>3</sup>		

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962(11th Cir., 1992).

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations

Ventilation systems

Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits. Ensure adequate ventilation.

#### Individual protection measures, such as personal protective equipment

Eye/Face Protection:



Tightly sealed goggles

Body protection:

Protective work clothing.

Skin protection:



#### Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material:

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Respiratory Protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice. **SECTION 9: Physical and chemical properties** 

	Form: Cylindrical				
Physical State	Color: Purple				
	Odour: Odourless				
	Odor Threshold: No information available				
Change in o	condition:				
pH, with inc	lication of the concentration	Not determined.			
Melting poir	nt/freezing point	Not determined.			
Initial boiling point and Boiling range:		Not determined.			
Flash Point		Not determined.			
Evaporation	n rate	Not determined.			
Flammabilit	y (solid, gas)	Not determined.			
Upper/lowe	r flammability or explosive limits	Not determined.			
Vapor Pres	sure:	Not determined.			
Vapor Dens	sity:	Not determined.			
relative den	isity:	Not determined.			
Solubility in	Water:	Not determined.			
Solubility in	other solvents	Not determined.			
n-octanol/w	ater partition coefficient	Not determined.			
Auto-ignition temperature		Product is not self-igniting.			
Decomposition temperature		Not determined.			
Odout threshold		Not determined.			
Evaporation rate		Not determined.			
Viscosity		Not determined.			
Other Information		No further relevant information available.			

**SECTION 10: Stability and reactivity** 

<u>Reactivity</u>: Stable under recommended storage and handling conditions (see section 7, Handling and storage).

Chemical stability: Stable under normal conditions of use, storage and transport.

Thermal decomposition/conditions to be avoided: No decomposition if used according to specifications.

Possibility of Hazardous Reactions: None under normal processing.

Hazardous Polymerization: Hazardous polymerization does not occur.

Conditions to avoid: Strong heating, fire, Incompatible materials.

Incompatible materials: Strong oxidizing agents. Strong acids.Base metals.

Hazardous Decomposition Products: Carbon oxides, Other irritating and toxic gases.

#### **SECTION 11: Toxicological information**

Acute toxiciy: No data available.

LD/LC50 values relevant for classification:

Not available.

Skin corrosion/irritation: No irritant effect.

Serious eye damage/irritation: Cause serious eye irritation.

Respiratory or skin sensitization: No sensitizing effects known.

Specific target organ system toxicity: No information available.

CMR effects(carcinogenity, mutagenicity and toxicity for reproduction): No information available.

# **SECTION 12: Ecological information**

Toxicity:

Acquatic toxicity:

No further relevant information available.

Persistence and degradability: No further relevant information available.

Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects: No information available.

## **SECTION 13: Disposal considerations**

#### Waste treatment methods

Recommendation: Must not be disposed together with household garbage.

Do not allow product to reach sewage system

#### Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

# **SECTION 14: Transport information**

The Rechargeable Lithium-ion Cell had been tested according to the requirements of the UN manual of tests and Criteria, Part III, subsection 38.3;

The Rechargeable Lithium-ion Cell with a Watt-hour rating not exceeding 100Wh or the cell with a Watt-hour rating in not exceeding of 20Wh, The lithium ion batteries according to Section II/Section IB of PACKING INSTRUCTION 965, or of PACKING INSTRUCTION 966~967 of the 2018 Dangerous Goods regulations 59th Edition may be transported.

The packaging shall be adequate to avoid mechanical damage during transport, handling and stacking. The materials and pack design shall be chosen so as to prevent the development of unintentional electrical conduction, corrosion of the terminals and ingress of moisture.

According to the Packing Instruction of IATA DGR 59th Edition for transportation.

Meets requirements of International Maritime Dangerous Goods(IMDG)-2016 Special Provision 188 to be transported as non-dangerous goods;

Meets the requirements of 49CFR173.185 to be transported as non-dangerous goods for road, rail, air, and vessel.

Meets the requirements of TDG special provision 34 to be transported as non-dangerous goods. The package must be handled with care and that a flammability hazard exists if the package is damaged;

UN number of lithium battery: UN3480 or UN3481;

UN Proper shipping name/Description (technical name): Lithium ion batteries or Lithium ion batteries contained in equipment or Lithium ion batteries packed with equipment;

UN Classification (Transport hazard class): Non dangerous;

## **SECTION 15: Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation:

Authorisations: No information available.

Restrictions on use: No information available.

Regulatory information

CAS No.	EU	US	Japan	Canada	Austrlia	Korea	China
	(EINECS)	(TSCA)	(ENCS)	(DSL/	(AICS)	(ECL)	(IECSC)
				NDSL)			
7429-90-5	Listed	Not listed	Not listed	NDSL	Not listed	Not listed	Not listed
7439-93-2	Listed	Listed	Listed	DSL	Listed	Listed	Listed
7782-42-5	Listed	Listed	Listed	DSL	Listed	Listed	Listed
7440-50-8	Not listed	Listed	Not listed	DSL	Listed	Listed	Listed
21324-40-3	Listed	Listed	Listed	DSL	Listed	Listed	Listed
7439-89-6	Listed	Not listed	Not listed	Not listed	Not listed	Not listed	Listed

Chemical safety assessment A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases:

R20/22: Harmful by inhalation and if swallowed.

R36: Irritating to eyes.

H302: Harmful if swallowed.

H332: Harmful if inhaled.