

SAFETY DATA SHEET

Product Name: Mercury Free Alkaline Button Cell LR44

Issue Date: 18/11/2024 Version: 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

PRODUCT NAME: Mercury Free Alkaline Button Cell LR44
APPLICATIONS: For Stock No. 07088 DIGITAL CALIPER 0-200MM
07089 DIGITAL CALIPER 0-300MM
SUPPLIER: **Draper Tools Ltd**
Hursley Road
Chandlers Ford
Eastleigh
Hampshire
SO53 1YF
www.drapertools.com
Emergency telephone number: Draper Helpline +44 (0) 2380 494344
Opening hours 8:30-17:00 Monday – Friday.

SECTION 2: Hazards identification

Emergency overview: This product is a battery. Intended use of the product should not result in exposure to the chemical substance. In case of rupture the below hazards exist.

Classification according to GHS

Acute toxicity, oral (4)

Skin corrosion/irritation (2)

Serious eye damage/eye irritation (2A)

Specific target organ toxicity, single exposure; Respiratory tract irritation (3)

Hazardous to the aquatic environment, long-term hazard (2)

Label elements



Hazard pictogram(s)

Signal word: Warning

Hazard statement(s)

H302 harmful if swallowed

H315 Causes skin irritation

H319 causes serious eye irritation

H335 May cause respiratory irritation

H411 Toxic to aquatic life with long lasting effects

Precautionary statement(s):

Prevention:

P261 Avoid breathing dust, fume, gas, mist, vapours, spray.

P264 Wash skin and clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves, protective clothing, eye protection, face protection.

Response:

P301 + P312 IF SWALLOWED: CALL A POISON CENTER if you feel unwell.

P330 Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty water.

P321 Specific treatment (See additional emergency instructions).

P333 + P313 If skin irritation or rash occurs: Get medical advice.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER, if you feel unwell.

P391 Collect spillage.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal:

P501 Send contents to approved waste treatment plants.

Other hazards

Physical and chemical hazards: See Section 10

Human health hazards: See Section 11

Environmental hazards: See Section 12

SECTION 3: Composition/information on ingredients

Chemical characteristics: Mixture

Chemical Composition	CAS No.	EC#	Weight (%)
Manganese dioxide	1313-13-9	215-202-6	31.75
Zinc	7440-66-6	231-175-3	12.82
Graphite	7782-42-5	231-955-3	4.66
Potassium hydroxide	1310-58-3	215-181-3	10.26
Cadmium	7440-43-9	231-152-8	<0.0005
Mercury	7439-97-6	231-106-7	<0.0001
Lead	7439-92-1	231-100-4	<0.001
Iron	7439-89-6	231-096-4	40.51

SECTION 4: First aid measures**Description of first aid measures****General information**

No special measures required.

After eye contact

Flush eyes with plenty of water for several minutes while holding eyelids open. Get medical attention if irritation persists.

After skin contact

Remove contaminated clothing and shoes. Immediately wash with water and soap and rinse thoroughly. Wash clothing and shoes before reuse. If irritation occurs, get medical attention.

After inhalation

Remove victim to fresh area. Administer artificial respiration if breathing is difficult. Seek medical attention.

After swallowing

Do not induce vomiting. Get medical attention.

Personal protective equipment for first-aid responders: No data available.

Most important symptoms/effects, acute and delayed: No data available.

Indication of immediate medical attention and special treatment needed: Treat symptomatically.

SECTION 5: Firefighting measures**Suitable extinguishing media:**

Use extinguishing agent suitable for local conditions and the surrounding environment. Such as dry powder, CO₂.

Unsuitable extinguishing media:

No data available.

Specific hazards arising from the chemical:

Specific hazards arising from the substance or mixture.

Battery may burst and release hazardous decomposition products when exposed to a fire situation.

Some may burn but none ignite readily. Containers may explode when heated. Some may be transported hot.

Specific protective actions for fire-fighters:

Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

SECTION 6: Accidental release measure**Person precautions:**

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation.

Protective equipment:

No date available.

Emergency procedures:

Remove ignition sources, evacuate area. Sweep up using a method that does not generate dust.

Collect as much of the spilled material as possible, place the spilled material into a suitable disposal container.

Keep spilled material out of sewers, ditches and bodies of water.

Environmental precautions:

Do not allow material to be released to the environment without proper governmental permits.

Methods and materials for containment and cleaning up:

For all waste handling must refer to United Nations, National and Local Regulations for disposal.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage**Precautions for safe handling:**

Avoid short circuiting the battery. Avoid mechanical damage of the battery. Do not open or disassemble.

Batteries may explode or cause burns. If disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity. Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area.

Prevent concentration in hollows and sumps.

Conditions for safe storage, including any incompatibilities:

Store in a cool, dry, well-ventilated place. Keep away from heat, avoiding the long-time of sunlight.

SECTION 8: Exposure controls/personal protection**Control parameters**

CAS No.	ACGIH	NIOSH	OSHA
1313-13-9	N/A	N/A	N/A
7440-66-6	N/A	N/A	N/A
7782-42-5	TLV-TWA 2mg/m ³	REL-TWA 2.5mg/m ³	REL-TWA 15mppcf REL-TWA 20mppcf
1310-58-3	TLV-Peak 2mg/m ³	REL-Peak 2.5mg/m ³	N/A
7440-43-9	TLV-TWA 0.01mg/m ³	N/A	PEL-TWA 0.2mg/m ³
7439-97-6	TLV-TWA 0.025mg/m ³	REL-TWA 0.05mg/m ³	TLV-TWA 0.1mg/m ³
7439-92-1	TLV-TWA 0.05mg/m ³	N/A	PEL-TWA 0.2mg/m ³
7439-89-6	N/A	N/A	N/A

Appropriate engineering controls:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Personal protective equipment:

Respiratory protection: Wear suitable protective mask. For a large number of battery leakages, wear chemical protective clothing, including self-contained breathing apparatus.

Hand Protection: Wear appropriate protective gloves to reduce skin contact.

Eye Protection: Wear safety goggles or eye protection combined with respiratory protection.

Skin and Body Protection: Working environment required, wear suitable protective clothing to minimize contact with skin. The type of protective equipment must be according to the concentration and the content of certain hazardous substances in the workplace.

SECTION 9: Physical and chemical properties**Information on basic physical and chemical properties**

Colour: Silver

Physical State:	Button
Odour:	Not available.
pH:	Not available.
Melting point/freezing point:	Not available.
Boiling point or initial boiling point and boiling range:	Not available.
Flash point:	Not available.
Flammability:	Not available.
Solubility:	Not available.
Lower and upper explosion limit/flammability limit:	Not available.
Auto-ignition temperature:	Not available.
Decomposition temperature:	Not available.
Kinematic viscosity:	Not available.
Partition coefficient: n-octanol/water (log value):	Not available.
Vapour pressure:	Not available.
Density and /or relative density:	Not available.
Relative vapour density:	Not available.
Particle characteristics:	Not available.

SECTION 10: Stability and reactivity

Reactivity: No data available

Chemical stability: stable

Possibility of hazardous reactions: No data available

Conditions to Avoid: Flames, sparks, and other sources of ignition, incompatible materials.

Incompatible materials: Oxidizing agents, acid base.

Hazardous decomposition products: Carbon monoxide, carbon dioxide.

SECTION 11: Toxicological Information

Acute Toxicity:

CAS No.	LC50/LD50
1313-13-9	No data available
7440-66-6	LD50 Rat (oral): >2000mg/kg
7782-42-5	No data available
1310-58-3	LD50 Rat (oral): >284mg/kg
7440-43-9	LD50 Rat (oral): >1140mg/kg
7439-97-6	No data available
7439-92-1	No data available
7439-89-6	No data available

Skin corrosion/irritation: No data available.

Serious eye damage/irritation: No data available

Respiratory or Skin sensitization: No data available

Germ Cell mutagenicity: No data available

Carcinogenicity: No data available

Reproductive toxicity: No data available

Specific target organ toxicity-Single exposure: No data available

Specific target organ toxicity-Repeated exposure: No data available

Aspiration hazard: No data available

Information on the likely routes of exposure: No data available

Eye: No data available

Skin: No data available

Ingestion: No data available

Inhalation: No data available

SECTION 12: Ecological information

Ecological Toxicity:

CAS#7440-66-6

ErC50: 0.15mg/L-algae (*Pseudokirchneriella subcapitata*) – 72h

Persistence and degradability: No data available.

Bioaccumulative Potential: No data available

Mobility in Soil: No data available

Other adverse effects: No data available

SECTION 13: Disposal considerations

Disposal methods:

Recommendation:

Consult state, local or national regulations to ensure proper disposal.

Uncleaned packaging

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

UN or ID Number	
IATA, IMDG	N/A
Proper Shipping Name/Description	
IATA, IMDG	N/A
Class or Div. (Sub Hazard)	
IATA, IMDG	Not Subjected for transport of dangerous goods
Packing Group	
IATA, IMDG	N/A
Hazard Label	
IATA, IMDG	N/A
Environmental hazards	
Marine pollutant	No
Special precautions for user	No information available

Transport information: Mercury Free Alkaline Button Cell LR44 is exempt from dangerous goods. It is considered non-dangerous goods by the International Civil Aviation Organization (ICAO), the International Air Transport Association (IATA) DGR 65th, IATA Special Provisions A123, International Maritime Dangerous Goods Regulations (IMDG) (41-22).

S.P.A123 This entry applies to Batteries, electric storage, not otherwise listed in Subsection 4.2-List of Dangerous Goods. Examples of such batteries are alkali-manganese, zinc-carbon and nickel-cadmium batteries. Any electrical battery or battery powered device, equipment or vehicle having the potential of a dangerous evolution of heat must be prepared for transport so as to prevent;

(a) a short-circuit (e.g. in the case of batteries, by the effective insulation of exposed terminals; or in the case of equipment, by disconnection of the battery and protection of exposed terminals); and

(b) accidental activation.

The words "Not Restricted", and the Special Provision number must be included in the description of the substance on the Air Waybill as required by 8.2.6, when an Air Waybill is issued.

Transport Fashion: By air, by sea.

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture.

CAS No.	TSCA	IECSC	DSL/NDSL	EINECS/ELINCS/NLP
1313-13-9	Listed	Listed	Listed DSL	Listed
7440-66-6	Listed	Listed	Listed DSL	Listed
7782-42-5	Listed	Listed	Listed DSL	Listed
1310-58-3	Listed	Listed	Listed DSL	Listed
7440-43-9	Listed	Listed	Listed DSL	Listed
7439-97-6	Listed	Listed	Listed DSL	Listed
7439-92-1	Listed	Listed	Listed DSL	Listed
7439-89-6	Listed	Listed	Listed DSL	Listed

SECTION 16: Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes and liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Other Information:

CAS: (Chemical Abstracts Service)

EC: (European Commission)

ACGIH: (American Conference of Governmental Industrial Hygienists)

NIOSH: (US National Institute for Occupational Safety and health)

OSHA: (US Occupational Safety and Health)

TLV: (Threshold Limit Value)

TWA: (Time Weighted Average)

STEL: (Short Term Exposure Limit)

PEL: (Permissible Exposure Level)

REL: (Recommended Exposure Limit)

PC-STEL: (Permissible concentration-short time exposure limit)

PC-TWA: (Permissible concentration-time weighted average)

IARC: (International Agency for Research on Cancer)

LC50: (Lethal concentration, 50 percent kill)

LD50: (Lethal dose, 50 percent kill)

EC50: (Median effective concentration)

BCF: (Bioconcentration Factor)

BOD: (Biochemical oxygen demand)

IECSC: (Inventory of Existing Chemical Substances in China)

NOEC: (No observed effect concentration)

NTP: (US National Toxicology Program);

RTECS: (Registry of Toxic Effects of Chemical Substances)

TOC: (Total Organic Carbon)

TSCA: (Toxic Substances Control Act of USA)

DSL: (the Domestic Substances List of Canada)

NDSL: (the Non-domestic Substances List of Canada)

IATA: (International Air Transport Association)

IMDG: (International Maritime Dangerous Goods)

TDG: (Recommendations on the TRANSPORT OF DANGEROUS GOODS Model Regulations)

*** End of SDS ***