

Product Safety Data Sheet (PSDS)

The gas cylinder products referenced in this PSDS document are consumer products. Gas cylinders under 50ml capacity are considered "articles" under the Global Harmonized System and are exempted from the GHS labeling and SDS classification criteria. This PSDS document is provided as service in response to requests for information on gas cylinder use, safety and regulatory compliance.

SECTION 1 — PRODUCT IDENTIFICATION

Product Name

DISPOSABLE CARBON DIOXIDE CARTRIDGES

Product Identification

Gas Cylinders; Receptacles Small, Containing Gas; Disposable Carbon Dioxide Cartridges

Product Use

Propellent source for Non-powdered projectile gun

PSDS Date of Preparation

2015/09/09, Revised 2021/02/01

APPLICATIONS:

For Stock No. 13786 BICYCLE INFLATION CARTRIDGE, 16G

SUPPLIER:

Draper Tools Ltd

Hursley Road, Chandlers Ford Eastleigh, Hampshire SO53 1YF

Draper Helpline +44 (0) 2380 494344

Opening hours 8:30-17:00 Monday - Friday.

SECTION 2 — HAZARD IDENTIFICATION

OSHA/HCS status

This material is considered "articles" by the OSHA Hazard Communication Standard (29 CFR

1910.1200) and is exempted from the OSHA/HCS labeling criteria.

DOT status

This material is a container for carbon dioxide with no more than 4 fluid ounces of capacity and is considered "ORM-D" or "Consumer Commodity" by the Department of Transportation (49 CFR 172.101 and 173.306). This material is exempted from the DOT labeling criteria.

except when offered for transportation or transported by air.

GHS status

This material is considered "articles" by the Global Harmonized System and is exempted

from the GHS labeling and SDS classification criteria.

Precautionary statements

General

Read and follow all Product Safety Data Sheets (PSDS'S) before use. Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand. Use equipment rated for cylinder pressure. Do not puncture until connected to equipment prepared for use. Do not remove until contents is empty. Do not throw into fire. Use only equipment of compatible materials of construction.

1 .

Prevention

Use and store outdoors or in a well ventilated place.

Response

IF INHALED. Remove person to fresh air and keep comfortable for breathing. Call a

POISON CENTER or doctor/physician if you feel unwell.

Storage

Protect from sunlight. Protect from sunlight when ambient temperature exceeds 52°C/125°F.

Store in a well-ventilated place.

Disposal

Dispose in accordance with all applicable regulations. Do not incinerate unless content is

empty.

Hazards not otherwise classified

In addition to any other important health or physical hazards, this product may displace

oxygen and cause rapid suffocation.

May cause trostbite.

SECTION 3 — COMPOSITION AND INGREDIENTS

Substance / Mixture

Substance

Chemical Name

Carbon Dioxide

Synonyms

Carbonic, Carbon Dioxide, Carbon Anhydride, CO2

CAS Number

124-38-9

Content (vo%)

99.8 % or more

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4 — FIRST AID INFORMATION

Descriptions of necessary first aid measures

Inhalation

Remove exposed person to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular, or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin Contact

Carbon dioxide is harmless at atmospheric pressure. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Eye Contact

Carbon dioxide is harmless at atmospheric pressure. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

Ingestion

Refer to the inhalation section.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Inhalation

No known significant effects or critical hazards.

Skin Contact

No known significant effects or critical hazards.

Eye Contact

No known significant effects or critical hazards.

Frostbite

Try to warm up the frozen tissues and seek medical attention.

Ingestion

Refer to the inhalation section.

Over-exposure signs/symptoms

Inhalation

No specific data.

Skin Contact

No specific data.

Eye Contact

No specific data.

Ingestion

No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician

Treat symptomatically. Contact poison treatment specialist immediately if large quantities

have been ingested or inhaled.

Specific treatments

No specific treatment.

Protection of first-aiders

No action shall be taken involving any personal risk or without suitable training. It may be

dangerous to the person providing aid to give mouth-to-mouth resuscitation.

- FIRE FIGHTING INFORMATION SECTION 5 -

Extinguishing media

Sultable extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media

No specific treatment,

Specific hazards arising from the

chemical

Contains gas under pressure. In a fire or if heated, a pressure increase will occur and

the container may burst or explode.

Hazardous thermal decomposition products

Decomposition products may include the following materials: Carbon dioxide

Carbon monoxide

Special protective actions

for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Contact supplier immediately for specialist advice. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6 **ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Avoid breathing gas. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective

equipment.

non-emergency personnel".

For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For

Environmental precautions

Ensure emergency procedures to deal with accidental gas releases are in place to avoid contamination of the environment. Inform the relevant authorities if the product

has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill

This material contains no more than 40 grams of carbon dioxide, in case of spill, allow carbon dioxide to vent naturally. Do not handle the cylinder without protective gloves as it may cause frostbite.

Large spill

This material contains no more than 40grams of carbon dioxide, in case of spill, allow carbon dioxide to vent naturally. Do not handle the cylinder without protective gloves as it may cause

frostbite.

SECTION 7 — HANDLING AND STORAGE

Precaution for safe handling

Protective measures

Put on appropriate personal protective equipment (see Section 8). Contains gas under pressure. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Empty containers retain product residue and can be hazardous. Do not puncture or incinerate container. Use equipment rated for cylinder pressure. Close valve after each use and when empty. Protect cylinders from physical damage; do not drag, roll, slide, or drop. Use a suitable hand truck for cylinder movement.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibility

Store in accordance with local regulations. Store in a segregated and approved area. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep container tightly closed and sealed until ready for use. Cylinders should be stored upright, with valve protection cap in place, and firmly secured to prevent falling or being knocked over. Cylinder temperatures should not exceed 52°C (125°F).

SECTION 8 — EXPOSURE CONTROLS / PERSONAL PROTECTION

This material contains no more than 40 grams of Carbon Dioxide. Although unlikely to result in serious exposures, the following Control parameters Occupational exposure limits are provided for regulatory purpose.

Control parameters

Occupational exposure limits

Ingredient name	Exposure Limits		
Carbon Dioxide	ACGIH TLV (United States, 3/2012). Oxygen Depletion [Asphyxiant]. STEL: 54000 mg/m3 15 minutes. STEL: 30000 ppm 15 minutes. TWA: 9000 mg/m3 8 hours TWA: 5000 ppm 8 hours. NIOSH REL (United States, 1/2013). STEL: 54000 mg/m3 15 minutes. STEL: 30000 ppm 15 minutes. TWA: 9000 mg/m3 8 hours TWA: 5000 ppm 8 hours. OSHA PEL (United States, 6/2010). TWA: 9000 mg/m3 8 hours TWA: 5000 ppm 8 hours. OSHA PEL 1989 (United States, 3/1989). STEL: 54000 mg/m3 15 minutes. STEL: 30000 ppm 15 minutes. STEL: 30000 ppm 15 minutes. STEL: 30000 ppm 8 hours TWA: 9000 mg/m3 8 hours TWA: 9000 mg/m3 8 hours		
Appropriate engineering controls	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.		
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, tume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.		
Precautions for safe handling			
Protective measures	Put on appropriate personal protective equipment (see Section 8). Contains gas under pressure. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Empty containers retain product residue and can be hazardous.		
Individual protection measure			
Hygiene measure	Wash hands, forearms and face thoroughly after handling chemical products, before eating,		

smoking, using the lavatory and at the end of your shift.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are

close to the workstation location.

Eye/Face protection Safety eyewear complying with an approved standard should be used when a risk

assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment

indicates a higher degree of protection: safety glasses with side-shields.

Skin protection Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot

be accurately estimated.

Body protection Personal protective equipment for the body should be selected based on the task being

performed and the risks involved and should be approved by a specialist before handling this

product.

Other skin protection Appropriate footwear and any additional skin protection measures should be selected based

on the task being performed and the risks involved and should be approved by a specialist

before handling this product.

Respiratory protection Use a properly fitted, air-purifying or air-led respirator complying with an approved standard

If a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits

of the selected respirator.

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state Gas at normal temperature and pressure

Color Colorless

Molecular welight 44.01g/mol

Molecular fomula C-Os

Melting/freezing point Sublimation temperature: -79°C (-110.2*F)

Critical temperature 30.85°C (87.5°F)

Odor Odorless

Odor threshold Not available

pН Not available

Flash point [Product does not sustain combustion]

Burning time Not available Burning rate

Not available

Evaporation rate Not available

Flammability (solid, gas) Not available Lower and upper explosive Not available

Vapor pressure 830 psig

(flammable) limits

Vapor density 1.53 (Air = 1), Liquid Density@BP: Solid Density = 97.5 lb/ft* (1562 kg/m³)

Specific volume 8.7719 ft3/lb (m3/g)

Gas density 0.114 lb/ft3 (178.6 g/m3) Relative density

Not available

Solubility

Not available

Solubility in Water

Not available

Partition coefficient

0.83

n-octano / water

Not available

Auto-ignition temperature

Not available

Decomposition temperature

Not available

SADT

Not available

Viscosity

Not available

SECTION 10 — STABILITY AND REACTIVITY

Reactivity

No specific test data related to reactivity is available for this product or its ingredients.

Chemical stability

The product is stable

Possibility of hazardous reaction

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid

No specific data.

Hazardous decomposition

Under normal conditions of storage and use, hazardous decomposition products should not

be produced.

Hazardous polymerization

Under normal conditions of storage and use, hazardous polymerization will not occur.

SECTION 11 — TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

Not Available

Irritation / Corrosion

Not available

Sensitization

Not available

Mutagenicity

Not available

Carcinogenicity

Not available

Reproductive toxicity

Not available

Teratogenicity

Not available

Specific target organ toxicity

(single exposure)

Not available

Specific target organ toxicity

(repeated exposure)

Not available

Aspiration hazard

Not available

Information on the likely route of

exposure

Not available

Potential acute health effects

Eye contact

No known significant effects or critical hazards.

Inhalation

No known significant effects or critical hazards.

Skin contact

No known significant effects or critical hazards.

Ingestion

Since this product is a gas, refer to the inhalation section.

Symptoms related to the physical, chemical, and toxicological characteristics

Eye contact

No specific data.

Inhalation

No specific data.

Skin contact

No specific data.

Ingestion

No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects

Not available

Potential delayed effects

Not available

Long term exposure

Potential immediate effects

Not available

Potential delayed effects

Not available

Potential chronic health effects - Not available

General

No known significant effects or critical hazards.

Carcinogenicity

No known significant effects or critical hazards.

Mutagenicity

No known significant effects or critical hazards.

Teratogenicity

No known significant effects or critical hazards.

Developmental effects

No known significant effects or critical hazards.

Fertility effects

No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimate

Not available

SECTION 12 — ECOLOGICAL INFORMATION

Toxicity

Not available

Persistence and degradability

Not available

Bioaccumulative potential

Product / Ingredient name	Log Paw	BCF	Potential
Carbon Dioxide	0.83	+	low

Mobility in soil

Soil/Water partition coefficient (Koc)

Not available

Other adverse effects

Not available

SECTION 13 — DISPOSAL CONSIDERATIONS

Discharge of Carbon Dioxide

Gradually release in open air.

Disposal of Cylinders

If gas remains in cylinders, release gas with proper equipment and recycle cylinders as

recyclable steel.

Verify for puncture hole.

Do not dispose or recycle without first checking that all gas has been released and there is a puncture hole on the cylinder.



SECTION 14 — TRANSPORT INFORMATION

IMO IMDG 39-18

Receptacles, Small, Containing Gas (Gas Cartridges)

UN Number

UN 2037

Hazard Class

2

Labels

2.2

Special Shipping Information

This product conforms to Special Provision 191 of IMDG 39-18: Receptacles with a capacity not exceeding 50 mL containing only non-toxic constituents are not subject to the provisions of this Code.

IATA DGR 62th (2021)

Receptacles Small, Containing Gas (Gas Cartridges)

UN Number

UN 2037

Hazard Class

2.2

Labels

2.2

Special Shipping Information

This product conforms to Special Provision A98 of IATA DGR 62th: Aerosols, gas cartridges and receptacles, small, containing gas with a capacity not exceeding 50 mL, containing no constituents subject to these Regulations other than a Division 2.2 gas, are not subject to these Regulations when carried as cargo unless their release could cause extreme annoyance or discomfort to crew members so as to prevent the correct performance of duties.

The words "Not Restricted" and the Special Provision number must be included in the description of the substance on the Air Waybill as required by 8.2.6, when an Air Waybill is issued.

ADR 2019

Receptacles Small, Containing Gas (Gas Cartridges)

UN Number

UN 2037

Classification Code

5 A

Labels

2.2

Special Shipping Information

This product conforms to Special Provision 191 of ADR 2019: Receptacles with a capacity not exceeding 50 mL containing only non-toxic constituents are not subject to the

provisions of ADR.

SECTION 15 — REGULATORY INFORMATION

The following selected regulatory requirements may apply to this product. Not all such requirements are identified. Users of this product are solely responsible for compliance with all applicable international and domestic (including but not limited to federal, state, and local) regulations.

U.S. Federal Regulations None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR

302.4), TSCA 12(b), or require an OSHA process safety plan.

This material is considered "articles" by the OSHA Hazard Communication Standard (29 CFR 1910.1200) and is exempted from the OSHA/HCS labeling

criteria.

This material is a container for carbon dioxide with no more than 4 fluid ounces of capacity and is considered "ORM-D" or "Consumer Commodity" by the Department of Transportation (49 CFR 173,101 and 173,306). This material is exempted from the DOT labeling criteria, except when offered for transportation

or transported by air.

SARA 311/312 Hazardous Categories

Fire hazard

NO

Sudden release of pressure

YES

Reactive

NO

Immediate (acute) health hazard

NO

Delayed (chronic) health hazard

NO

State Regulations

Massachusetts

This material is listed

New Jersey

This material is listed

Pennsylvania

This material is listed

California

This material is listed

Not regulated under CA Proposition 65.

SECTION 16 — OTHER INFORMATION

Hazard Rating Systems

NFPA Ratings

HMIS Ratings

Health = 2

Health = 1

Flammability = 0

Flammability = 0

Reactivity = 0

Physical Hazard = 3

Special = SA

Key to abbreviations

ACGIH

American Conference of Governmental Industrial Hygienists

BCF

Bioconcentration Factor

CAS

Chemical Abstract Services

CERCLA

Comprehensive Environmental Response, Compensation, and Liability Act

CFR

United States Code of Federal Regulations

TOD

Department of Transportation

GHS

Globalty Harmonized System of Classification and Labeling of Chemicals

IATA

International Air Transport Association

IMDG

International Maritime Dangerous Goods

Log Pow

Logarithm of the octanol/water partition coefficient

NIOSH

National Institute for Occupational Safety and Health

OSHA

Occupational Safety and Healthy Organizaton

STEL

Short-term Exposure Limit

SARA

Superfund Amendments and Reauthorization Act

TLV

Threshold Limit Value

TSCA

Toxic Substances Control Act

TWA

Time Weighted Average

DISCLAIMER:

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee they are the only hazards that exist.