## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name : D270 Stud Lock (24659)

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

No additional information available

#### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

Draper Tools Ltd Hursley Road Chandlers Ford Eastleigh Hampshire SO53 1YF Draper Helpline +44 (0) 2380 494344 Opening hours 8:30-17:00 Monday – Friday. www.drapertools.com

## 1.4. Emergency telephone number

Emergency number : Draper Helpline +44 (0) 2380 494344

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 H319
Skin sensitisation, Category 1 H317
Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

Hazardous to the aquatic environment – Chronic Hazard, Category 4 Full text of H- and EUH-statements: see section 16

H413

Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP) : Warning

 $\hbox{Contains} \hspace{3.5cm} : \hspace{3.5cm} \text{Acetic acid 2-phenylhydrazide ; 2'-Phenylacetohydrazide, maleic acid, } \alpha, \alpha \text{-dimethylbenzylor} \\$ 

hydroperoxide; cumene hydroperoxide

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.

H413 - May cause long lasting harmful effects to aquatic life.

Precautionary statements (CLP) : P261 - Avoid breathing vapours.

P280 - Wear protective clothing, eye protection, face protection. P312 - Call a POISON CENTER, doctor if you feel unwell.

P321 - Specific treatment (see Take medical advice on this label).
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.

# 2.3. Other hazards

PBT: not relevant – no registration required vPvB: not relevant – no registration required

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

# **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

Not applicable

# 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Esterification products of 4,4'- isopropylidenediphenol,ethoxylated and 2-methylprop- 2-enoic acid	CAS-No.: 41637-38-1 EC-No.: 609-946-4	≥ 25 – < 50	Aquatic Chronic 4, H413
2-Methyl-2-propenoic acid monoester with 1,2- propanediol	CAS-No.: 27813-02-1 EC-No.: 248-666-3 REACH-no: 01-2119490226- 37	≥ 25 – < 50	Aquatic Chronic 3, H412
α, α-dimethylbenzyl hydroperoxide; cumene hydroperoxide substance with national workplace exposure limit(s) (LT, LV)	CAS-No.: 80-15-9 EC-No.: 201-254-7 EC Index-No.: 617-002-00-8 REACH-no: 01-2119475796- 19	≥1-<3	Org. Perox. F, H242 Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Acute Tox. 4 (Dermal), H312 (ATE=1100 mg/kg bodyweight) Acute Tox. 3 (Inhalation), H331 (ATE=0.5 mg/l/4h) Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Acetic acid 2-phenylhydrazide ; 2'- Phenylacetohydrazide	CAS-No.: 114-83-0	≥ 0.1 – < 1	Acute Tox. 3 (Oral), H301 (ATE=270 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 3, H335
maleic acid	CAS-No.: 110-16-7 EC-No.: 203-742-5 EC Index-No.: 607-095-00-3	≥ 0.1 – < 1	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Acute Tox. 4 (Dermal), H312 (ATE=1100 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 3, H335

Specific concentration limits:					
Name	Product identifier	Specific concentration limits			
α, α-dimethylbenzyl hydroperoxide; cumene hydroperoxide	CAS-No.: 80-15-9 EC-No.: 201-254-7 EC Index-No.: 617-002-00-8 REACH-no: 01-2119475796- 19	( 0 <c 10)="" 3,="" <="" h335<br="" se="" stot="">( 1 ≤C &lt; 3) Eye Irrit. 2, H319 ( 3 ≤C &lt; 10) Skin Irrit. 2, H315 ( 3 ≤C &lt; 10) Eye Dam. 1, H318 ( 10 ≤C ≤ 100) Skin Corr. 1B, H314</c>			
maleic acid	CAS-No.: 110-16-7 EC-No.: 203-742-5 EC Index-No.: 607-095-00-3	( 0.1 ≤C ≤ 100) Skin Sens. 1, H317			

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures after inhalation : Move the affected person away from the contaminated area and into the fresh air. If you feel

unwell, seek medical advice.

First-aid measures after skin contact : Wash skin with plenty of water. Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Rinse cautiously with water for several minutes. If

eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth out with water. Drink plenty of water. Do not induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : redness, itching, tears.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Foam. Water spray. Dry powder.

# 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Carbon dioxide. Carbon monoxide.

## 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid contact with skin and eyes.

6.1.1. For non-emergency personnel

Emergency procedures : Avoid contact with skin and eyes.

## 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

Avoid release to the environment. Do not allow to enter drains or water courses.

## 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage. Absorb spilled material with sand or earth.

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. This

material and its container must be disposed of in a safe way, and as per local legislation.

### 6.4. Reference to other sections

See Section 8. For further information refer to section 13.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with eyes. Wash hands and other exposed areas with mild soap and water

before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when

using this product. Provide local exhaust or general room ventilation.

Hygiene measures : Take off immediately all contaminated clothing and wash it before reuse. Do not eat, drink

or smoke when using this product. Wear personal protective equipment.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a closed container. Store in a well-ventilated place.

### 7.3. Specific end use(s)

No additional information available

## 8.1. Control parameters

# 8.1.1 National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

## 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

## Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Gloves. Safety glasses.

#### Personal protective equipment symbol(s):









## 8.2.2.1. Eye and face protection

#### Eye protection:

Safety glasses (EN 166). Protective goggles (EN 166)

#### 8.2.2.2. Skin protection

#### Hand protection:

Gloves

#### 8.2.2.3. Respiratory protection

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

## **Environmental exposure controls:**

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Green.
Odour : Sweet.

Odour threshold : No information available.

pН : Not applicable. Relative evaporation rate (butylacetate=1) : No data available Melting point : Not applicable. Freezing point : No data available Boiling point : Not applicable. Flash point > 93 °C Auto-ignition temperature Not applicable. Decomposition temperature : No data available : Not applicable. Flammability (solid, gas) : Not available Vapour pressure Relative vapour density at 20 °C : Not applicable. Relative density : No data available

Relative density of saturated gas/air mixture : 1.1

Solubility : Water: Slightly soluble in water.

Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : No data available Viscosity, dynamic : 400 – 600 cP

Explosive properties : No information available.

Oxidising properties : No data available.

Explosive limits : No data available

# 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No additional information available

## 10.2. Chemical stability

Stable under normal conditions of use. Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

# 10.5. Incompatible materials

Strong acids.

# 10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide. May liberate toxic gases.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), Remarks on results: other:		
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Remarks on results: other:		
2-Methyl-2-propenoic acid monoester with 1,2-propanediol (27813-02-1)			
LD50 oral rat	11200 mg/kg Source: TOMES		
LD50 dermal rabbit	> 5000 mg/kg Source: IUCLID		
Acetic acid 2-phenylhydrazide ; 2'-Phenylacetohydrazide (114-83-0)			
LD50 oral rat	270 mg/kg Source: THOMSON		
α, α-dimethylbenzyl hydroperoxide; cumene hydroperoxide (80-15-9)			
LC50 Inhalation - Rat [ppm]	220 ppm Animal: rat, Animal sex: male, Remarks on results: other:		

Skin corrosion/irritation : Not classified

pH: Not applicable.

Serious eye damage/irritation : Causes serious eye irritation.

pH: Not applicable.

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation.

Acetic acid 2-phenylhydrazide ; 2'-Phenylacetohydrazide (114-83-0)		
STOT-single exposure May cause respiratory irritation.		
maleic acid (110-16-7)		
STOT-single exposure May cause respiratory irritation.		

STOT-repeated exposure : Not classified

Esterification products of 4,4'-isopropylidenediphenol,ethoxylated and 2-methylprop-2-enoic acid (41637-38-1)			
NOAEL (oral, rat, 90 days)	300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral))		
2-Methyl-2-propenoic acid monoester with 1,2	2-propanediol (27813-02-1)		
LOAEC (inhalation, rat, gas, 90 days)	350 ppm Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90- Day Study), Remarks on results: other:		
NOAEL (oral, rat, 90 days)	300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)		
NOAEC (inhalation, rat, gas, 90 days)	100 ppm Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90- Day Study), Remarks on results: other:		
α, α-dimethylbenzyl hydroperoxide; cumene hydroperoxide (80-15-9)			
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.		
Aspiration hazard : Not classified			

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term

(chronic)

Not rapidly degradable

: May cause long lasting harmful effects to aquatic life.

Additional information : No data available.

2-Methyl-2-propenoic acid monoester with 1,2-propanediol (27813-02-1)			
LC50 - Fish [1]	233.174 mg/l Source: ECOSAR		
EC50 - Crustacea [1]	> 143 mg/l Test organisms (species): Daphnia magna		
EC50 72h - Algae [1]	> 97.2 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricomutum)		
NOEC (chronic) 45.2 mg/l Test organisms (species): Daphnia magna Duration: '21 d'			
Acetic acid 2-phenylhydrazide ; 2'-Phenylacetohydrazide (114-83-0)			
LC50 - Fish [1] 2.101 mg/l Source: ECOSAR			
EC50 96h - Algae [1] 0.852 mg/l Source: ECOSAR			
α, α-dimethylbenzyl hydroperoxide; cumene hydroperoxide (80-15-9)			
LC50 - Fish [1]	3.9 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)		
EC50 - Crustacea [1]	18.84 mg/l Test organisms (species): Daphnia magna		

# 12.2. Persistence and degradability

Persistence and degradability Bio	odegradability in water: no data available.

# 12.3. Bioaccumulative potential

Bioaccumulative potential	No bioaccumulation data available.

2-Methyl-2-propenoic acid monoester with 1,2-propanediol (27813-02-1)		
Partition coefficient n-octanol/water (Log Pow) 0.48		
Acetic acid 2-phenylhydrazide; 2'-Phenylacetohydrazide (114-83-0)		
Partition coefficient n-octanol/water (Log Pow) 0.7		

# 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

PBT: not relevant - no registration required

vPvB: not relevant - no registration required

#### 12.6. Other adverse effects

Additional information : No other effects known

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Regional legislation (waste)

Product/Packaging disposal recommendations HP Code

- : Disposal must be done according to official regulations.
- : Avoid release to the environment.
- : HP3 "Flammable:"
- flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
- flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
- flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
- flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID		
14.1. UN number	14.1. UN number					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.2. UN proper shippin	g name					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.3. Transport hazard class(es)						
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.4. Packing group						
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		

ADR	IMDG	IATA	ADN	RID	
14.5. Environmental hazards					
Not regulated Not regulated Not regulated Not regulated Not regulated					
No supplementary information available					

### 14.6. Special precautions for user

#### Overland transport

Not regulated

### Transport by sea

Not regulated

### Air transport

Not regulated

### Inland waterway transport

Not regulated

#### Rail transport

Not regulated

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

## **REACH Annex XVII (Restriction List)**

Contains no REACH substances with Annex XVII restrictions

## **REACH Annex XIV (Authorisation List)**

Contains no REACH Annex XIV substances

#### **REACH Candidate List (SVHC)**

Contains no substance on the REACH candidate list

## PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

## POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

## Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

## Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

#### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

# 15.1.2. National regulations

No additional information available

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# SECTION 16: Other information

Indication of changes				
Section	Changed item	Change	Comments	
	Supersedes version of	Added		
	Revision date	Added		
2.2	Precautionary statements (CLP)	Modified		

Full text of H- and EUH-statements:		
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H242	Heating may cause a fire.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H335	May cause respiratory irritation.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
H413	May cause long lasting harmful effects to aquatic life.	
Org. Perox. F	Organic Peroxides, Type F	

Full text of H- and EUH-statements:		
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.